

August 04, 2023

Kevin Roberts
Professional Service Industries, Inc.
11826 Borman Dr
Maryland Heights, MO 63146
TEL: (314) 432-8073
FAX: (314) 432-5119



Illinois	100226
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: Early Childhood Center / 0029-5933-9

WorkOrder: 23071403

Dear Kevin Roberts:

TEKLAB, INC received 70 samples on 7/19/2023 15:43:00 for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Aaron Renner
Project Manager
(630)324-6855
arenner@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	9
Chain of Custody	Appended

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.
- DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.
- DNI Did not ignite
- DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- NC Data is not acceptable for compliance purposes
- ND Not Detected at the Reporting Limit
- NELAP NELAP Accredited
- PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.
- RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
- RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
- SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
- Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
- TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"
- TNTC Too numerous to count (> 200 CFU)



Definitions

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

Qualifiers

- # - Unknown hydrocarbon
- C - RL shown is a Client Requested Quantitation Limit
- H - Holding times exceeded
- J - Analyte detected below quantitation limits
- ND - Not Detected at the Reporting Limit
- S - Spike Recovery outside recovery limits
- X - Value exceeds Maximum Contaminant Level
- B - Analyte detected in associated Method Blank
- E - Value above quantitation range
- I - Associated internal standard was outside method criteria
- M - Manual Integration used to determine area response
- R - RPD outside accepted recovery limits
- T - TIC(Tentatively identified compound)



Case Narrative

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

Cooler Receipt Temp: NA °C

This report was revised on August 4, 2023. The reason for the revision is to lower the reporting limit for select samples. Please replace report dated July 31, 2023 with this report. AR 8/4/23

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com



Accreditations

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2024	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2023	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
23071403-001A	ECC-DF-124-1-1	NELAP		1.0	4.3	µg/L	5	07/27/2023 03:52	07/18/2023 07:40
23071403-002A	ECC-DF-124-1-2	NELAP		1.0	4.8	µg/L	1	08/02/2023 13:11	07/18/2023 07:42
23071403-003A	ECC-F-124-1-3	NELAP		1.0	< 1.0	µg/L	1	07/27/2023 11:38	07/18/2023 07:43
23071403-004A	ECC-DF-121-1-4	NELAP		1.0	< 1.0	µg/L	1	08/03/2023 12:51	07/18/2023 07:44
23071403-005A	ECC-DF-121-1-5	NELAP		1.0	1.3	µg/L	1	07/27/2023 11:42	07/18/2023 07:45
23071403-006A	ECC-F-121-1-6	NELAP		1.0	1.3	µg/L	1	07/28/2023 18:40	07/18/2023 07:46
23071403-007A	ECC-DF-120-1-7	NELAP		1.0	3.2	µg/L	1	07/28/2023 18:44	07/18/2023 07:48
23071403-008A	ECC-DF-120-1-8	NELAP		1.0	1.9	µg/L	1	07/28/2023 19:12	07/18/2023 07:49
23071403-009A	ECC-F-120-1-9	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 18:48	07/18/2023 07:50
23071403-010A	ECC-DF-116-1-10	NELAP		1.0	10.4	µg/L	5	07/27/2023 03:56	07/18/2023 07:52
23071403-011A	ECC-DF-116-1-11	NELAP		1.0	8.2	µg/L	5	07/27/2023 04:00	07/18/2023 07:53
23071403-012A	ECC-F-116-1-12	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 18:52	07/18/2023 07:54
23071403-013A	ECC-DF-115-1-13	NELAP		1.0	2.7	µg/L	1	07/28/2023 19:37	07/18/2023 07:55
23071403-014A	ECC-DF-115-1-14	NELAP		1.0	1.6	µg/L	1	07/28/2023 19:41	07/18/2023 07:56
23071403-015A	ECC-F-115-1-15	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 20:06	07/18/2023 07:57
23071403-016A	ECC-WC-C1-1-16	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 19:45	07/18/2023 07:58
23071403-017A	ECC-WC-C1-1-17	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 19:50	07/18/2023 07:59
23071403-018A	ECC-DF-110-1-18	NELAP		1.0	1.2	µg/L	5	07/27/2023 04:05	07/18/2023 08:02
23071403-019A	ECC-DF-110-1-19	NELAP		1.0	2.8	µg/L	5	07/27/2023 04:09	07/18/2023 08:03
23071403-020A	ECC-DF-110-1-20	NELAP		1.0	1.8	µg/L	1	07/28/2023 19:54	07/18/2023 08:04
23071403-021A	ECC-DF-108-1-21	NELAP		1.0	3.8	µg/L	5	07/27/2023 04:38	07/18/2023 08:05
23071403-022A	ECC-DF-108-1-22	NELAP		1.0	3.5	µg/L	5	07/27/2023 04:29	07/18/2023 08:06
23071403-023A	ECC-F-108-1-23	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 19:58	07/18/2023 08:07
23071403-024A	ECC-DF-105-1-24	NELAP		1.0	1.0	µg/L	5	07/27/2023 04:34	07/18/2023 08:08
23071403-025A	ECC-DF-105-1-25	NELAP		1.0	2.3	µg/L	5	07/27/2023 04:54	07/18/2023 08:09
23071403-026A	ECC-F-105-1-26	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 14:58	07/18/2023 08:10
23071403-027A	ECC-F-104-1-27	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 15:02	07/18/2023 08:11
23071403-028A	ECC-F-104-1-28	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 15:06	07/18/2023 08:12
23071403-029A	ECC-F-104-1-29	NELAP		1.0	1.4	µg/L	1	07/28/2023 16:20	07/18/2023 08:13
23071403-030A	ECC-F-QR-1-30	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 15:10	07/18/2023 08:14
23071403-031A	ECC-WC-FR-1-31	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 15:14	07/18/2023 08:15
23071403-032A	ECC-WC-FR-1-32	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 15:18	07/18/2023 08:16
23071403-033A	ECC-WC-167-1-34	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 15:22	07/18/2023 08:19
23071403-034A	ECC-F-KIT-1-35	NELAP		1.0	< 1.0	µg/L	5	07/28/2023 23:32	07/18/2023 08:22
23071403-035A	ECC-F-KIT-1-36	NELAP		1.0	1.4	µg/L	1	07/28/2023 15:51	07/18/2023 08:23
23071403-036A	ECC-F-KIT-1-37	NELAP		1.0	1.2	µg/L	1	07/28/2023 15:55	07/18/2023 08:24
23071403-037A	ECC-SN-KIT-1-38	NELAP		1.0	< 1.0	µg/L	5	07/28/2023 23:36	07/18/2023 08:25
23071403-038A	ECC-DF-158-1-39	NELAP		1.0	1.2	µg/L	1	07/28/2023 15:59	07/18/2023 08:27
23071403-039A	ECC-DF-158-1-40	NELAP		1.0	1.9	µg/L	5	07/28/2023 23:40	07/18/2023 08:28
23071403-040A	ECC-F-158-1-41	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 16:04	07/18/2023 08:29
23071403-041A	ECC-DF-161-1-42	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 16:08	07/18/2023 08:30
23071403-042A	ECC-DF-161-1-43	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 17:13	07/18/2023 08:31
23071403-043A	ECC-F-161-1-44	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 16:12	07/18/2023 08:32
23071403-044A	ECC-DF-188-1-45	NELAP		1.0	2.4	µg/L	1	07/28/2023 16:16	07/18/2023 08:33
23071403-045A	ECC-DF-188-1-46	NELAP		1.0	4.8	µg/L	1	07/28/2023 16:45	07/18/2023 08:34
23071403-046A	ECC-F-188-1-47	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 16:49	07/18/2023 08:35
23071403-047A	ECC-WC-P6-1-48	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 18:15	07/18/2023 08:36
23071403-048A	ECC-WC-P6-1-49	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 16:53	07/18/2023 08:37



Laboratory Results

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
23071403-049A	ECC-WC-C3-1-50	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 16:57	07/18/2023 08:38
23071403-050A	ECC-WC-C3-1-51	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 17:01	07/18/2023 08:39
23071403-051A	ECC-DF-192-1-52	NELAP		1.0	4.6	µg/L	1	07/28/2023 17:05	07/18/2023 08:41
23071403-052A	ECC-DF-192-1-53	NELAP		1.0	6.3	µg/L	1	07/28/2023 17:09	07/18/2023 08:42
23071403-053A	ECC-F-192-1-54	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 17:46	07/18/2023 08:43
23071403-054A	ECC-DF-193-1-55	NELAP		1.0	1.9	µg/L	1	07/28/2023 17:50	07/18/2023 08:44
23071403-055A	ECC-DF-193-1-56	NELAP		1.0	1.4	µg/L	1	07/28/2023 17:55	07/18/2023 08:45
23071403-056A	ECC-F-193-1-57	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 17:59	07/18/2023 08:46
23071403-057A	ECC-DF-198-1-58	NELAP		1.0	2.1	µg/L	5	07/29/2023 00:21	07/18/2023 08:47
23071403-058A	ECC-DF-198-1-59	NELAP		1.0	5.4	µg/L	5	07/29/2023 00:42	07/18/2023 08:48
23071403-059A	ECC-F-198-1-60	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 18:56	07/18/2023 08:49
23071403-060A	ECC-DF-199-1-61	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 18:03	07/18/2023 08:52
23071403-061A	ECC-DF-199-1-62	NELAP		1.0	1.9	µg/L	5	07/29/2023 00:25	07/18/2023 08:53
23071403-062A	ECC-F-199-1-63	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 18:07	07/18/2023 08:54
23071403-063A	ECC-F-NUR-1-64	NELAP		1.0	1.1	µg/L	5	07/29/2023 00:29	07/18/2023 08:55
23071403-064A	ECC-DF-203-1-65	NELAP		1.0	1.5	µg/L	1	07/28/2023 18:11	07/18/2023 08:56
23071403-065A	ECC-DF-203-1-66	NELAP		1.0	3.5	µg/L	5	07/29/2023 00:34	07/18/2023 08:57
23071403-066A	ECC-F-203-1-67	NELAP		1.0	< 1.0	µg/L	1	07/26/2023 21:20	07/18/2023 08:58
23071403-067A	ECC-F-TL-1-68	NELAP		1.0	< 1.0	µg/L	1	07/26/2023 21:24	07/18/2023 08:59
23071403-068A	ECC-F-LOBBY-1-69	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 10:02	07/18/2023 09:00
23071403-069A	ECC-BF-C1-1-70	NELAP		5.0	< 5.0	µg/L	5	07/28/2023 09:50	07/18/2023 08:00
23071403-070A	ECC-BF-C3-1-72	NELAP		1.0	< 1.0	µg/L	1	07/28/2023 09:54	07/18/2023 08:40

Dilution required to meet internal standard recovery criteria.



Receiving Check List

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071403

Client Project: Early Childhood Center / 0029-5933-9

Report Date: 04-Aug-23

Carrier: Tyler Maddox

Received By: ANC

Completed by:

Allison Colin

Reviewed by:

Ellie Hopkins

On:

20-Jul-23

Allison Colin

On:

20-Jul-23

Ellie Hopkins

Pages to follow: Chain of custody

Extra pages included

- | | | | | |
|---|--|------------------------------|--|---|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Temp °C <input type="text" value="NA"/> |
| Type of thermal preservation? | None <input checked="" type="checkbox"/> | Ice <input type="checkbox"/> | Blue Ice <input type="checkbox"/> | Dry Ice <input type="checkbox"/> |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Reported field parameters measured: | Field <input type="checkbox"/> | Lab <input type="checkbox"/> | NA <input checked="" type="checkbox"/> | |
| Container/Temp Blank temperature in compliance? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

- | | | | |
|---|---|-----------------------------|---|
| Water – at least one vial per sample has zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No VOA vials <input checked="" type="checkbox"/> |
| Water - TOX containers have zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No TOX containers <input checked="" type="checkbox"/> |
| Water - pH acceptable upon receipt? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| NPDES/CWA TCN interferences checked/treated in the field? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the lab.

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Professional Service Industries, Inc.
 Address: 11826 Borman Dr
 City / State / Zip: Maryland Heights, MO 63146
 Contact: Kevin Roberts (314) 432-8073
 E-Mail: kevin.roberts@intertek.com

Samples on: ICE BLUE ICE NO ICE LTC#
 Preserved in: LAB FIELD **FOR LAB USE ONLY**
 Lab Notes

Client Comments:

Are these samples known to be involved in litigation? If yes, a surcharge will apply Yes No
 Are these samples known to be hazardous? Yes No
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. Yes No

Project Name/Number	Sample Collector's Name	Billing Instructions	Date/Time Sampled	OTHER
Early Childhood Center / 0029-5833-9	KCR			UNPRES
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)				NaHSO4
011	ECC - DF - 116 - 1 - 11		7-18-23 / 0753	MeOH
012	ECC - F - 116 - 1 - 12		/ 0754	HCL
013	ECC - DF - 115 - 1 - 13		/ 0755	H2SO4
014	ECC - DF - 115 - 1 - 14		/ 0756	NaOH
015	ECC - F - 115 - 1 - 15		/ 0757	HNO3
016	ECC - WC - 11 - 1 - 16		/ 0758	
017	ECC - WC - 11 - 1 - 17		/ 0759	
018	ECC - DF - 110 - 1 - 18		/ 0802	
019	ECC - DF - 110 - 1 - 19		/ 0803	
020	ECC - DF - 110 - 1 - 20		/ 0804	

MATRIX	INDICATE ANALYSIS REQUESTED										
Aqueous	<input checked="" type="checkbox"/>										
Drinking Water	<input checked="" type="checkbox"/>										
Soil											
Sludge											
Special Waste											
Groundwater											
Lead	<input checked="" type="checkbox"/>										

Relinquished By: *KCR* Date/Time: 7-18-23 @ 1:35 PM
 Received By: *Wesley Cole* Date/Time: 7-19-23 12:08

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Professional Service Industries, Inc.
 Address: 11826 Bonman Dr
 City / State / Zip: Maryland Heights, MO 63146
 Contact: Kevin Roberts
 E-Mail: kevin.roberts@intertek.com
 Phone: (314) 432-8073
 Fax:

Samples on: ICE BLUE ICE NO ICE °C _____ LTGF _____
 Preserved in: LAB FIELD FOR LAB USE ONLY
 Lab Notes
 Client Comments:

Project Name/Number: Early Childhood Center / 0029-5933-9
 Sample Collector's Name: KCR
 Billing Instructions: # and Type of Containers

Lab Use Only	Sample Identification	Date/Time Sampled	OTHER	NaHSO4	MeOH	HCL	H2SO4	NaOH	HNO3	UNPRES	Drinking Water	Soil	Sludge	Special Waste	Groundwater	Lead
<input checked="" type="checkbox"/> Standard	23071403-01	7-18-13 / 0805									X					X
<input type="checkbox"/> Other	020	/ 0806									X					X
	021	/ 0807									X					X
	022	/ 0808									X					X
	023	/ 0809									X					X
	026	/ 0810									X					X
	027	/ 0811									X					X
	028	/ 0812									X					X
	029	/ 0813									X					X
	030	✓ / 0814									X					X

Relinquished By: [Signature] Date/Time: 7-18-13 @ 1:35pm
 Received By: [Signature] Date/Time: 7-19 12:08
 [Signature] 7-19 3:47

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Professional Service Industries, Inc.
 Address: 11826 Borman Dr
 City / State / Zip: Maryland Heights, MO 63146
 Contact: Kevin Roberts
 E-Mail: kevin.roberts@interspek.com
 Phone: (314) 432-8073
 Fax:

Samples on: ICE BLUE ICE NO ICE °C LTG#
 Preserved in: LAB FIELD FOR LAB USE ONLY
 Lab Notes
 Client Comments:

Project Name/Number: Early Childhood Center / 0029-5933-9
 Sample Collector's Name: KCR
 Billing Instructions: # and Type of Containers

Results Requested	Sample Identification	Date/Time Sampled	OTHER	Drinking Water	Aqueous	Soil	Sludge	Special Waste	Groundwater	Lead
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)										
041	ECC-DF-161-1-42	7-18-23 / 0830		X						X
042	ECC-DF-161-1-43	/ 0831		X						X
043	ECC-F-161-1-44	/ 0832		X						X
044	ECC-DF-188-1-45	/ 0833		X						X
045	ECC-DF-188-1-46	/ 0834		X						X
046	ECC-F-188-1-47	/ 0835		X						X
047	ECC-WC-P6-1-48	/ 0836		X						X
048	ECC-WC-P6-1-49	/ 0837		X						X
049	ECC-WC-C3-1-50	/ 0838		X						X
050	ECC-WC-C3-1-51	✓ / 0839		X						X

Relinquished By: [Signature] Date/Time: 7-18-23 2:35pm
 Received By: [Signature] Date/Time: 7-19 12:08
 [Signature] 7/19 3:43
 [Signature] 7/19 1543

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabs.com for terms and conditions.

81931

