

August 24, 2023

Kevin Roberts
Professional Service Industries, Inc.
11826 Borman Dr
Maryland Heights, MO 63146
TEL: (314) 432-8073
FAX: (314) 432-5119



| | |
|-----------|---------|
| Illinois | 100226 |
| Kansas | E-10374 |
| Louisiana | 05002 |
| Louisiana | 05003 |
| Oklahoma | 9978 |

RE: Louis and Clark Annex / 0029-5933-15

WorkOrder: 23071642

Dear Kevin Roberts:

TEKLAB, INC received 4 samples on 7/24/2023 12:50:00 for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Aaron Renner
Project Manager
(630)324-6855
arenner@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071642

Client Project: Louis and Clark Annex / 0029-5933-15

Report Date: 24-Aug-23

This reporting package includes the following:

| | |
|----------------------|----------|
| Cover Letter | 1 |
| Report Contents | 2 |
| Definitions | 3 |
| Case Narrative | 5 |
| Accreditations | 6 |
| Laboratory Results | 7 |
| Receiving Check List | 8 |
| Chain of Custody | Appended |



Definitions

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071642

Client Project: Louis and Clark Annex / 0029-5933-15

Report Date: 24-Aug-23

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)



Definitions

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071642

Client Project: Louis and Clark Annex / 0029-5933-15

Report Date: 24-Aug-23

Qualifiers

- # - Unknown hydrocarbon
- C - RL shown is a Client Requested Quantitation Limit
- H - Holding times exceeded
- J - Analyte detected below quantitation limits
- ND - Not Detected at the Reporting Limit
- S - Spike Recovery outside recovery limits
- X - Value exceeds Maximum Contaminant Level
- B - Analyte detected in associated Method Blank
- E - Value above quantitation range
- I - Associated internal standard was outside method criteria
- M - Manual Integration used to determine area response
- R - RPD outside accepted recovery limits
- T - TIC(Tentatively identified compound)



Case Narrative

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071642

Client Project: Louis and Clark Annex / 0029-5933-15

Report Date: 24-Aug-23

Cooler Receipt Temp: N/A °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com



Accreditations

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071642

Client Project: Louis and Clark Annex / 0029-5933-15

Report Date: 24-Aug-23

| State | Dept | Cert # | NELAP | Exp Date | Lab |
|-----------|------|---------|-------|-----------|--------------|
| Illinois | IEPA | 100226 | NELAP | 1/31/2024 | Collinsville |
| Kansas | KDHE | E-10374 | NELAP | 4/30/2024 | Collinsville |
| Louisiana | LDEQ | 05002 | NELAP | 6/30/2024 | Collinsville |
| Louisiana | LDEQ | 05003 | NELAP | 6/30/2024 | Collinsville |
| Oklahoma | ODEQ | 9978 | NELAP | 8/31/2023 | Collinsville |
| Arkansas | ADEQ | 88-0966 | | 3/14/2024 | Collinsville |
| Illinois | IDPH | 17584 | | 5/31/2025 | Collinsville |
| Iowa | IDNR | 430 | | 6/1/2024 | Collinsville |
| Kentucky | UST | 0073 | | 1/31/2024 | Collinsville |
| Missouri | MDNR | 00930 | | 5/31/2023 | Collinsville |
| Missouri | MDNR | 930 | | 1/31/2025 | Collinsville |



Laboratory Results

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071642

Client Project: Louis and Clark Annex / 0029-5933-15

Report Date: 24-Aug-23

Matrix: DRINKING WATER

| Sample ID | Client Sample ID | Certification | Qual | RL | Result | Units | DF | Date Analyzed | Date Collected |
|---|------------------|---------------|------|-----|--------|-------|----|------------------|------------------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) | | | | | | | | | |
| Lead | | | | | | | | | |
| 23071642-001A | LCA-F-PA-1-1 | NELAP | | 1.0 | 1.1 | µg/L | 1 | 08/23/2023 14:12 | 07/21/2023 09:37 |
| 23071642-002A | LCA-WC-M-1-2 | NELAP | | 1.0 | < 1.0 | µg/L | 1 | 08/23/2023 14:17 | 07/21/2023 09:38 |
| 23071642-003A | LCA-WC-C1-1-3 | NELAP | | 1.0 | 1.2 | µg/L | 1 | 08/23/2023 14:21 | 07/21/2023 09:39 |
| 23071642-004A | LCA-BF-C1-1-4 | NELAP | | 1.0 | 1.1 | µg/L | 1 | 08/23/2023 14:26 | 07/21/2023 09:40 |



Receiving Check List

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 23071642

Client Project: Louis and Clark Annex / 0029-5933-15

Report Date: 24-Aug-23

Carrier: Tyler Maddox

Received By: MBP

Completed by:

Reviewed by:

On:

25-Jul-23

Lindsey Maddox

On:

25-Jul-23

Ellie Hopkins

Pages to follow: Chain of custody

Extra pages included

| | | | | |
|--|--|------------------------------|---|----------------------------------|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Temp °C N/A |
| Type of thermal preservation? | None <input checked="" type="checkbox"/> | Ice <input type="checkbox"/> | Blue Ice <input type="checkbox"/> | Dry Ice <input type="checkbox"/> |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Reported field parameters measured: | Field <input type="checkbox"/> | Lab <input type="checkbox"/> | NA <input checked="" type="checkbox"/> | |
| Container/Temp Blank temperature in compliance? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| <i>When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.</i> | | | | |
| Water – at least one vial per sample has zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No VOA vials <input checked="" type="checkbox"/> | |
| Water - TOX containers have zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No TOX containers <input checked="" type="checkbox"/> | |
| Water - pH acceptable upon receipt? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> | |
| NPDES/CWA TCN interferences checked/treated in the field? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> | |

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory. - lmaddox - 7/25/2023 4:16:17 PM

